Author Index of Volume 168

Angelucci, F., 123

Baird, M. C., 195
Balch, A. L., 255
Bandini, A. L., 33
Basson, S. S., 215
Beisheng Kang, 163
Bhattacharyya, R. G., 141
Blanton, C. B., 145
Blinn, E. L., 209
Bond, A. M., 233
Boschi, T., 83
Botha, L. J., 215

Cabeza, J. A., 77
Cadiz, M. E., 47
Calligaris, M., 105
Chau, C.-N., 105
Cinellu, M. A., 33
Colton, R., 233
Costa, L., 123
Costa, R., 249
Cotton, F. A., 3
Creighton, A. M., 283

Davies, G., 65
Davison, A., 227
de Gea, J., 1
Demartin, F., 33
Dill, K., 11
Durana, M. E., 89

El-Dissouky, A., 241
Elias, H., 179
El-Sayed, M. A., 65
El-Toukhy, A., 65
Ettorre, R., 221
Evans, W. J., 5

Fanwick, P. E., 159
Favero, G., 189
Fecher, B., 179
Forniés, J., 59, 201

Garcia, A., 249
Garcia-Granda, S., 149
Ghosh, P. N., 141
Gomez, G. M., 47
Gomez-Beltran, F., 149
González, A. S., 221
Goulin, C. A., 195

Hadjiliadis, N., 15, 275
Hanqin Liu, 163
Heeb, S., 93
Henary, M., 65
Hermanns, R. D., 283
Hoffmann, S., 7
Hollenkamp, A. F., 233
Hvastijová, M., 157

Iakovidis, A., 275

Jeannin, Y., 77
Jiménez, J., 89
Jones, A. G., 227
Jutzi, P., 5

Kanatzidis, M. G., 101
Kang, D.-X., 209
Kasselouri, S., 15
Kelly, G., 127
Kohout, J., 157
Kožíšek, J., 157

Laguna, A., 89
Laguna, M., 89
Lahuerta, P., 149
Latorre, J., 149
Leipoldt, J. G., 215
Lincoln, S. F., 265
Lippert, B., 27, 275
Liu, S., 43
Luck, R. L., 3

Malatesta, V., 123
Mallik, M., 141
Manoli, J.-M., 173
Maochun Hong, 163
Marassi, R., 127
Martinez-Mañez, R., 149
Mas, M. L., 59
Mathieu, R., 1
McGown, E. L., 11
McGregor, K., 233
Medhi, O. K., 271
Miguel, D., 77
Minghetti, G., 33
Miyata, A., 153
Mohamad, G. B., 241
Morazzoni, F., 123
Muir, J. A., 47
Muir, M. M., 47
Murphy, T., 283

Nardin, G., 105
Navarro, R., 201
Nicholson, T., 227
Nolan, K. B., 283

O'Connor, R. J., 11
Olmstead, M. M., 255
Otake, H., 153

Pahor, N. B., 115
Paolesse, R., 83
Parker, W. O., Jr., 127
Peloso, A., 189
Perales, A., 1
Pietzsch, H.-J., 7
Poor, M., 209
Potvin, C., 173
Probst, M. M., 169

Qi, T.-S., 159

Rahoo, H., 283
Rajasekharan, M. V., 167
Randaccio, L., 115
Raudaschl-Sieber, G., 27
Ribas, J., 249
Riera, V., 77
Rillema, D. P., 145
Rode, B. M., 169
Ros, J., 1
Rowley, S. P., 255

Sakabe, Y., 237
Schöllhorn, H., 27
Schwarz, F., 275
Scotti, R., 123
Sécheresse, F., 173
Seeber, R., 127
Sheldrick, W. S., 93
Sicilia, V., 201
Silver, J., 271
Sindellari, L., 27
Son, K.-A., 3
Spies, H., 7
Stoccoro, S., 33
Suarato, A., 123
Swarnabala, G., 167

Tagliatesta, P., 83
Thewalt, U., 27
Tomás, M., 201
Tomiyasu, H., 153

© Elsevier Sequoia/Printed in Switzerland

Torres, M. R., 1
Treichel, P. M., 209
Trisak, S. T., 169

Ulibarri, T. A., 5
Usón, M. A., 59
Usón, R., 59, 89

Vettori, U., 189

Walton, R. A., 159
White, A., 265
Wojcicki, A., 105
Wu, Y.-P., 159

Xinjian Lei, 163

Yáñez, R., 1

Zangrando, E., 115
Zhiying Huang, 163
Zubieta, J., 43

Subject Index of Volume 168

Alkyl complexes
  oxidative addition of iodomethane to thioacetylacetonatocarbonylphosphinerhodium(I) complexes, 215
Allyl complexes
  disproportionation reactions of dimeric allyliron compound $[\eta^3\text{-}C_3H_5Fe(CO)_3]_2$; formation of novel cationic η^3-allylironcarbonyl complexes, 195
Amine complexes
  bis(9-ethylguaninium) and bis(9-ethylguanine) complexes of Pt(II); preparation and crystal structures of *cis*-$[Cl_2Pt(9\text{-}EtGH_2)_2]Cl_2 \cdot 2H_2O$ and *cis*-$[(pra)_2Pt(9\text{-}EtGH)_2](NO_3)_2$ (pra = n-propylamine), 27
  preparation and thermal behaviour of diethylenetriamine complexes of Pt(II), 189
  synthesis and CD spectral studies on isomers of *cis*-dicyanobis(propylenediamine)Cr(III) chloride, 237
  synthesis and structural characterization of *cis* and *trans* $MoCl_4(H_2NBu^t)_2$, 43
  ternary complexes of *cis*-$(NH_3)_2Pt(II)$ with model nucleobases (1-methylcytosine, 9-methylguanine) and N- and O-bound amino acids (gly, ala), 275
Amino acid complexes
  interaction of *cis*-$Pd(guo)_2Cl_2$ with amino acids, 15
  reaction of cysteine(s) with phenyldichloroarsine, 11
  synthesis and structural characterization of η^6-arene–Ru(II) complexes of alanine and guanine derivatives, 93
Antitumour activity
  chelating agents as antitumour drugs; formation of chelating agents from antitumour drug, Razoxane, 283
Arene complexes
  synthesis and structural characterization of η^6-arene–Ru(II) complexes of alanine and guanine derivatives, 93
Arsenicum complexes
  reaction of cysteine(s) with phenyldichloroarsine, 11
Aryl complexes
  oxidative addition of iodomethane to thioacetylacetonatocarbonylphosphinerhodium(I) complexes, 215

Bidentate ligand complexes
  dichromium(II) compound that avoids Cr–Cr bond formation by adopting bizarre structure; $Cr_2Cl_4(dmpm)_2$, 3
  dimolybdenum(II) and dirhenium(II) complexes of 2-mercaptoquinoline, 159
  kinetic studies on Cu(II) complexes with 1,5-diazacyclooctane (= daco); uncatalyzed and base-catalyzed acid dissociation of $Cu(daco)_2^{2+}$ and ligand replacement by EDTA, 179
  molecular weight and ^{199}Hg NMR studies on Hg-rich cations produced from Hg(II) dithiocarbamates, 233
  mono or binuclear orthopalladated (C^N) complexes (C^N = phenylazophenyl-C^2,N^1; dimethylbenzylamine-C^2,N; 8-methylquinoline-C^8,N) containing terminal or bridging SPR_3 ligands, 201
  preparation and structural characterization of Rh and Pd complexes of mixed phosphine/amine ligands with methylene spacers between donor atoms, 255
  preparation and thermal behaviour of diethylenetriamine complexes of Pt(II), 189
  reduction of (3-oxapentane-1,5-dithiolato)(*p*-carbmethoxybenzenethiolato)oxotechnetium-(V) by tertiary phosphines, 7
Biological ligand complexes
  mono and dinuclear Au(I) complexes with neutral and deprotonated 1,4-benzodiazepin-2-ones; crystal and molecular structure of (L-H)Au-$(PPh_3) \cdot Et_2O$, where L = 1,3-dihydro-7-nitro-5-phenyl-2*H*-1,4-benzodiazepin-2-one, NITRAZEPAM, 33
Biphenyl complexes
  synthetic control of excited states; electron transfer from ^{3}CT state of biphenyl coordinated to Pt(II), 145

Cadmium complexes
  model calculations on Zn(II)/Cd(II) interaction with nucleic bases, 169
Carbonyl complexes
  disproportionation reactions of dimeric allyliron compound $[\eta^3\text{-}C_3H_5Fe(CO)_3]_2$; formation of novel cationic η^3-allylironcarbonyl complexes, 195
  thermal and photochemical reactions of $Ru_3(CO)_{12}$ with tetraethyldiphosphite; X-ray structure of $[Ru_3(CO)_{10}\{\mu\text{-}(EtO)_2POP(OEt)_2\}]$, 77
Chelate complexes
  characterization of Tc organohydrazide chelate complexes; synthesis of Tc phenylimido com-

© Elsevier Sequoia/Printed in Switzerland

plex; X-ray crystal structure of [TcO($SC_6H_2Pr^i_3$)$_2$(PhNNCON$_2$HPh)], 227
mono or binuclear orthopalladated (C^N) complexes (C^N = phenylazophenyl-C^2,N^1; dimethylbenzylamine-C_2,N; 8-methylquinoline-C^8,N) containing terminal or bridging SPR_3 ligands, 201
new mononuclear thiolate Ni(II) square planar complex with uncommon (S2NO) coordination, 101
preparation and thermal behaviour of diethylenetriamine complexes of Pt(II), 189
synthesis and characterization of Cu(II) metal(II) binuclear complexes of *N,N'*-bis(8-hydroxyquinoline-7-carboxaldene)-1,3-diaminopropane, 241
Chelate ligand complexes
chelating agents as antitumour drugs; formation of chelating agents from antitumour pro-drug, Razoxane, 283
chelating properties of Cu(II) aminoanthracyclines; ESR study, 123
Chromium complexes
dichromium(II) compound that avoids Cr–Cr bond formation by adopting bizarre structure, Cr_2Cl_4(dmpm)$_2$, 3
synthesis and CD spectral studies on isomers of *cis*-dicyanobis(propylenediamine)Cr(III) chloride, 237
Cluster complexes
novel Au–Ag supracluster; preparation and structure of [$Au_{13}Ag_{12}(\mu$-Cl)$_6$(Ph_3P)$_{10}$-Cl_2]·*n*EtOH, 163
thermal and photochemical reactions of Ru_3-$(CO)_{12}$ with tetraethyldiphosphite; X-ray structure of [Ru_3(CO)$_{10}${μ-(EtO)$_2$POP(OEt)$_2$}], 77
Cobaloxime complexes
vitamin B_{12} model compounds; influence of neutral ligand orientation on Co–N axial bond length, 115
Cobalt complexes
electrochemical behavior of 'Costa-type' organocobalt coenzyme B_{12} models, 127
synthesis and structure of new phosphido-bridged Fe–Co and Fe–Ni nitrosyl complexes, 105
vitamin B_{12} model compounds; influence of neutral ligand orientation on Co–N axial bond length, 115
Copper complexes
addition of methanol to dicyanamide in Cu(II) coordination sphere; structure of bis{bis(methoxycarbimido)aminato}Cu(II), 157
chelating properties of Cu(II) aminoanthracyclines; ESR study, 123
kinetic studies on Cu(II) complexes with 1,5-diazacyclooctane (= daco); uncatalyzed and base-catalyzed acid dissociation of Cu(daco)$_2^{2+}$ and ligand replacement by EDTA, 179
synthesis and characterization of Cu(II) metal(II) binuclear complexes of *N,N'*-bis(8-hydroxyquinoline-7-carboxaldene)-1,3-diaminopropane, 241
synthesis, characterization and magnetic properties in trinuclear complexes of Cu(II) derived from 2-hydroxy-1,3-propylenebis(oxamato), 249
transmetalation of tetranuclear Cu(I) complexes with Fe(NS)$_3$ reagent, 65
Crystal structure(s)
of η^6-arene–Ru(II) complexes of alanine and guanine derivatives, 93
of [$Au_{13}Ag_{12}(\mu_2$-Cl)$_6$(Ph_3P)$_{10}Cl_2$]·*n*EtOH, 163
of bis{bis(methoxycarbimido)aminato}Cu(II), 157
of *cis*-[Cl_2Pt(9-EtGH$_2$)$_2$]Cl_2·$2H_2O$ and *cis*-[(pra)$_2$-Pt(9-EtGH)$_2$](NO$_3$)$_2$ (pra = n-propylamine), 27
of Cr_2Cl_4(dmpm)$_2$, 3
of dimolybdenum(II) and dirhenium(II) complexes of 2-mercaptoquinoline, 159
of (L-H)Au(PPh_3)·Et_2O, where L = 1,3-dihydro-7-nitro-5-phenyl-2*H*-1,4-benzodiazepin-2-one, NITRAZEPAM, 33
of *cis* and *trans* $MoCl_4$(H_2NBu^t)$_2$, 43
of mono or binuclear orthopalladated (C^N) complexes (C^N = phenylazophenyl-C^2,N^1; dimethylbenzylamine-C^2,N; 8-methylquinoline-C^8,N) containing terminal or bridging SPR_3 ligands, 201
of mononuclear thiolate Ni(II) square planar complex with uncommon (S2NO) coordination, 101
of [Ni(bpy)$_3$][(WS_4)$_2$Pd], 173
of phosphido-bridged Fe–Co and Fe–Ni nitrosyl complexes, 105
of phosphido-ethylidyne bridged triiron cluster, 1
of [{Rh(η^2-(C_6H_4)PPh_2)(η^2-P(*o*-ClC_6H_4)Ph_2)}$_2$-(salen)](SbF_6)$_2$, 149
of Rh and Pd complexes of mixed phosphine/amine ligands with methylene spacers between donor atoms, 255
of [Ru_3(CO)$_{10}${μ-(EtO)$_2$POP(OEt)$_2$}], 77
of [TcO($SC_6H_2Pr^i_3$)$_2$(PhNNCON$_2$HPh)], 227
of vitamin B_{12} model compounds, 115
Cyanamide complexes
addition of methanol to dicyanamide in Cu(II) coordination sphere; structure of bis{bis-(methoxycarbimido)aminato}Cu(II), 157
Cyanide complexes
synthesis and CD spectral studies on isomers of *cis*-dicyanobis(propylenediamine)Cr(III) chloride, 237
Cyclopentadienyl complexes
relative reactivity of decamethylsilicocene and decamethylsamarocene; reduction of (C_5Me_5)$_2SiCl_2$ by Sm(II) reagents, 5

Dinuclear complexes
dichromium(II) compound that avoids Cr–Cr

bond formation by adopting bizarre structure; $Cr_2Cl_4(dmpm)_2$, 3
dimolybdenum(II) and dirhenium(II) complexes of 2-mercaptoquinoline, 159
dinuclear Rh(III) complex with *N,N'*-ethylenebis-(salicylideneiminato) (salen) ligand in bridging bis-bidentate mode of coordination; crystal structure of $[\{Rh(\eta^2\text{-}(C_6H_4)PPh_2)(\eta^2\text{-}P(o\text{-}ClC_6H_4)Ph_2)\}_2(salen)](SbF_6)_2$, 149
Dithiocarbamate complexes
molecular weight and ^{199}Hg NMR studies on Hg-rich cations produced from Hg(II) dithiocarbamates, 233

Electrochemistry
electrochemical behavior of 'Costa-type' organocobalt coenzyme B_{12} models, 127
generation of $Fe(NO)_2^+$ moiety from $[Fe(H_2O)_6]^{2+}$; synthesis, characterisation and electrochemistry of $[Fe(NO)_2L]$ (LH = benzyl mercaptan or 2-mercaptoethanol) and $[Fe(NO)_2L\text{–}L]$ (L–LH = 2-aminobenzene thiol), 141
synthesis and characterization of Cu(II) metal(II) binuclear complexes of *N,N'*-bis(8-hydroxyquinoline-7-carboxaldene)-1,3-diaminopropane, 241
Electron transfer
synthetic control of excited states; electron transfer from ^3CT state of biphenyl coordinated to Pt(II), 145
ESR
chelating properties of Cu(II) aminoanthracyclines; ESR study, 123
multiline ESR from Mn(III,III) complex?, 167

Fluoraryl complexes
single-bridged polynuclear pseudohalide complexes of Pd(II) and/or Pt(II), 59
tris(pentafluorophenyl)Au(III) complexes with O-, N- or S-donor ligands, 89

Gold complexes
mono and dinuclear Au(I) complexes with neutral and deprotonated 1,4-benzodiazepin-2-ones; crystal and molecular structure of (L-H)Au-$(PPh_3)\cdot Et_2O$, where L = 1,3-dihydro-7-nitro-5-phenyl-2*H*-1,4-benzodiazepin-2-one, NITRAZEPAM, 33
novel Au–Ag supracluster; preparation and structure of $[Au_{13}Ag_{12}(\mu_2\text{-}Cl)_6(Ph_3P)_{10}Cl_2]\cdot n$EtOH, 163
reduction reactions of Au(III) bromocomplexes in dimethyl sulfoxide, 221
tris(pentafluorophenyl)Au(III) complexes with O-, N- or S-donor ligands, 89

Halide complexes
reduction reactions of Au(III) bromocomplexes in dimethyl sulfoxide, 221
Heterocyclic ligand complexes
synthesis and characterization of new Pt(II) complexes containing thiazole and imidazole donors; tribromo(styrylheterazole)platinate-(II) anionic complexes, 47
Hydrazido complexes
characterization of Tc organohydrazide chelate complexes; synthesis of Tc phenylimido complex; X-ray crystal structure of $[TcO\text{-}(SC_6H_2Pr^i_3)_2(PhNNCON_2HPh)]$, 227

Iron complexes
activation volumes for axial ligations of hemin in *N,N*-dimethylformamide, 153
disproportionation reactions of dimeric allyliron compound $[\eta^3\text{-}C_3H_5Fe(CO)_3]_2$; formation of novel cationic η^3-allylironcarbonyl complexes, 195
generation of $Fe(NO)_2^+$ moiety from $[Fe(H_2O)_6]^{2+}$; synthesis, characterisation and electrochemistry of $[Fe(NO)_2L]_2$ (LH = benzyl mercaptan or 2-mercaptoethanol) and $[Fe(NO)_2L\text{–}L]$ (L–LH = 2-aminobenzene thiol), 141
Mössbauer spectroscopic studies on bis(histidine) adducts of (protoporphyrinato IX)Fe(II), 271
synthesis and structure
of new phosphido-bridged Fe–Co and Fe–Ni nitrosyl complexes, 105
of phosphido-ethylidyne bridged triiron cluster, 1
transmetalation of tetranuclear Cu(I) complexes with $Fe(NS)_3$ reagent, 65

Kinetics and mechanism
activation volumes for axial ligations of hemin in *N,N*-dimethylformamide, 153
kinetic studies on Cu(II) complexes with 1,5-diazacyclooctane (= daco); uncatalyzed and base-catalyzed acid dissociation of $Cu(daco)_2^{2+}$ and ligand replacement by EDTA, 179
ligand exchange on hexakis(1,1,3,3-tetramethylurea complexes of trivalent lanthanides; proton NMR study, 265
oxidative addition of iodomethane to thioacetylacetonatocarbonylphosphinerhodium(I) complexes, 215

Lanthanide complexes
ligand exchange on hexakis(1,1,3,3-tetramethylurea) complexes of trivalent lanthanides; proton NMR study, 265

Magnetism
synthesis and characterization of Cu(II) metal(II) binuclear complexes of *N,N'*-bis(8-hydroxyquinoline-7-carboxaldene)-1,3-diaminopropane, 241

synthesis, characterization and magnetic properties in trinuclear complexes of Cu(II) derived from 2-hydroxy-1,3-propylenebis(oxomato), 249
Manganese complexes
multiline ESR from Mn(III,III) complex?, 167
Mercury complexes
molecular weight and ^{199}Hg NMR studies on Hg-rich cations produced from Hg(II) dithiocarbamates, 233
Metal complexes
chelating agents as antitumour drugs; formation of chelating agents from antitumour pro-drug, Razoxane, 283
transition-metal-catalyzed cyclization of [*a*,*c*]-biladiene salts as efficient route to synthesis of alkyl porphyrins, 83
Molybdenum complexes
derivatives of tetrathiometallates; synthesis of $[MS_4M'(bpy)_2]$ (M = Mo, W; M' = Co, Ni, Mn, Ru) complexes; structural characterization of $[Ni(bpy)_3][(WS_4)_2Pd]$, 173
dimolybdenum(II) and dirhenium(II) complexes of 2-mercaptoquinoline, 159
Mo and W complexes with metallo-ligands having S donor atoms, 209
synthesis and structural characterization of *cis* and *trans* $MoCl_4(H_2NBu^t)_2$, 43
Monodentate ligand complexes
ligand exchange on hexakis(1,1,3,3-tetramethylurea) complexes of trivalent lanthanides; proton NMR study, 265

Neutral ligand complexes
tris(pentafluorophenyl)Au(III) complexes with O-, N- or S-donor ligands, 89
Nickel complexes
derivatives of tetrathiometallates; synthesis of $[MS_4M'(bpy)_2]$ (M = Mo, W; M' = Co, Ni, Mn, Ru) complexes; structural characterization of $[Ni(bpy)_3][(WS_4)_2Pd]$, 173
new mononuclear thiolato Ni(II) square planar complex with uncommon (S2NO) coordination, 101
synthesis and structure of new phosphido-bridged Fe–Co and Fe–Ni nitrosyl complexes, 105
Nitrosyl complexes
generation of $Fe(NO)_2^+$ moiety from $[Fe(H_2O)_6]^{2+}$; synthesis, characterisation and electrochemistry of $[Fe(NO_2)L]_2$ (LH = benzylmercaptan or 2-mercaptoethanol) and $[Fe(NO)_2L–L]$ (L–LH = 2-aminobenzene thiol), 141
synthesis and structure of new phosphido-bridged Fe–Co and Fe–Ni nitrosyl complexes, 105
NMR study
molecular weight and ^{199}Hg NMR studies on Hg-rich cations produced from Hg(II) dithiocarbamates, 233
Nucleic base complexes
model calculations on Zn(II)/Cd(II) interaction with nucleic bases, 169
Nucleobase complexes
ternary complexes of *cis*-$(NH_3)_2Pt(II)$ with model nucleobases (1-methylcytosine, 9-methylguanine) and N- and O-bound amino acids (gly, ala), 275
Nucleoside complexes
interaction of *cis*-$Pd(guo)_2Cl_2$ with amino acids, 15

Organocobalt complexes
electrochemical behavior of 'Costa-type' organocobalt coenzyme B_{12} models, 127
Oxo complexes
reduction of (3-oxapentane-1,5-dithiolato)(*p*-carbmethoxybenzenethiolato)oxotechnetium-(V) by tertiary phosphines, 7

Palladium complexes
interaction of *cis*-$Pd(guo)_2Cl_2$ with amino acids, 15
mono or binuclear orthopalladated ($\widehat{CN}$) complexes ($\widehat{CN}$ = phenylazophenyl-C^2,N^1; dimethylbenzylamine-C^2,N; 8-methylquinoline-C^8,N) containing terminal or bridging SPR_3 ligands, 195
preparation and structural characterization of Rh and Pd complexes of mixed phosphine/amine ligands with methylene spacers between donor atoms, 255
single-bridged polynuclear pseudohalide complexes of Pd(II) and/or Pt(II), 59
Phosphido complexes
synthesis and structure of phosphido-ethylidyne bridged triiron cluster, 1
Photochemistry
thermal and photochemical reactions of $Ru_3(CO)_{12}$ with tetraethyldiphosphite; X-ray structure of $[Ru_3(CO)_{10}\{\mu\text{-}(EtO)_2POP(OEt)_2\}]$, 77
Platinum complexes
bis(9-ethylguaninium) and bis(9-ethylguanine) complexes of Pt(II); preparation and crystal structures of *cis*-$[Cl_2Pt(9\text{-}EtGH_2)_2]Cl_2 \cdot 2H_2O$ and *cis*-$[(pra)_2Pt(9\text{-}EtGH)_2](NO_3)_2$ (pra = n-propylamine), 27
preparation and thermal behaviour of diethylenetriamine complexes of Pt(II), 189
single-bridged polynuclear pseudohalide complexes of Pd(II) and/or Pt(II), 59
synthesis and characterization of new Pt(II) complexes containing thiazole and imidazole donors; tribromo(styrylheterazole)platinate(II) anionic complexes, 47
synthetic control of excited states; electron transfer from ^{3}CT state of biphenyl coordinated to Pt(II), 145

ternary complexes of *cis*-$(NH_3)_2$Pt(II) with model nucleobases (1-methylcytosine, 9-methylguanine) and N- and O-bound amino acids (gly, ala), 275
Polydentate ligand complexes
new mononuclear thiolato Ni(II) square planar complex with uncommon (S2NO) coordination, 101
synthesis and characterization of Cu(II) metal(II) binuclear complexes of *N,N'*-bis(8-hydroxyquinoline-7-carboxaldene)-1,3-diaminopropane, 241
Polymetallic complexes
derivatives of tetrathiometallates; synthesis of $[MS_4M'(bpy)_2]$ (M = Mo, W; M' = Co, Ni, Mn, Ru) complexes; structural characterization of $[Ni(bpy)_3][(WS_4)_2Pd]$, 173
Polynuclear complexes
single-bridged polynuclear pseudohalide complexes of Pd(II) and/or Pt(II), 59
synthesis and structure of phosphido-ethylidyne bridged triiron cluster, 1
transmetalation of tetranuclear Cu(I) complexes with $Fe(NS)_3$ reagent, 65
Porphyrin complexes
activation volumes for axial ligations of hemin in *N,N*-dimethylformamide, 153
Mössbauer spectroscopic studies on bis(histidine) adducts of (protoporphyrinato IX)Fe(II), 271
transition-metal-catalyzed cyclization of [*a,c*]-biladiene salt as efficient route to synthesis of alkyl porphyrins, 83
Pseudohalide complexes
single-bridged polynuclear pseudohalide complexes of Pd(II) and/or Pt(II), 59

Rhenium complexes
dimolybdenum(II) and dirhenium(II) complexes of 2-mercaptoquinoline, 159
Rhodium complexes
dinuclear Rh(III) complex with *N,N'*-ethylenebis-(salicylideneiminato) (salen) ligand in bridging bis-bidentate mode of coordination; crystal structure of $[\{Rh(\eta^2\text{-}(C_6H_4)PPh_2)(\eta^2\text{-}P(o\text{-}ClC_6H_4)Ph_2)\}_2(salen)](SbF_6)_2$, 149
oxidative addition of iodomethane to thioacetylacetonatocarbonylphosphinerhodium(I) complexes, 215
preparation and structural characterization of Rh and Pd complexes of mixed phosphine/amine ligands with methylene spacers between donor atoms, 255
Ruthenium complexes
synthesis and structural characterization of η^6-arene–Ru(II) complexes of alanine and guanine derivatives, 93
thermal and photochemical reactions of $Ru_3(CO)_{12}$ with tetraethyldiphosphite; X-ray structure of $[Ru_3(CO)_{10}\{\mu\text{-}(EtO)_2POP(OEt)_2\}]$, 77

Samarium complexes
relative reactivity of decamethylsilicocene and decamethylsamarocene; reduction of $(C_5Me_5)_2SiCl_2$ by Sm(II) reagents, 5
Schiff base complexes
dinuclear Rh(III) complex with *N,N'*-ethylenebis-(salicylideneiminato) (salen) ligand in bridging bis-bidentate mode of coordination; crystal structure of $[\{Rh(\eta^2\text{-}(C_6H_4)PPh_2)(\eta^2\text{-}P(o\text{-}ClC_6H_4)Ph_2)\}_2(salen)](SbF_6)_2$, 149
Silicon complexes
relative reactivity of decamethylsilicocene and decamethylsamerocene; reduction of $(C_5Me_5)_2SiCl_2$ by Sm(II) reagents, 5
Silver complexes
novel Au–Ag supracluster; preparation and structure of $[Au_{13}Ag_{12}(\mu_2\text{-}Cl)_6(Ph_3P)_{10}Cl_2]\cdot n$EtOH, 163
Sulfur ligand complexes
Mo and W complexes with metallo-ligands having S donor atoms, 209

Technetium complexes
characterization of Tc organohydrazide chelate complexes; synthesis of Tc phenylimino complex; X-ray crystal structure of $[TcO(SC_6H_2Pr^i_3)_2(PhNNCON_2HPh)]$, 227
reduction of (3-oxapentane-1,5-dithiolato)(*p*-carbmethoxybenzenethiolato)oxotechnetium-(V) by tertiary phosphines, 7
Thiolate complexes
new mononuclear thiolato Ni(II) square planar complex with uncommon (S2NO) coordination, 101
Transmetalation
of tetranuclear Cu(I) complexes with $Fe(NS)_3$ reagent, 65
Trinuclear complexes
synthesis, characterization and magnetic properties in trinuclear complexes of Cu(II) derived from 2-hydroxy-1,3-propylenebis(oxamato), 249
Tungsten complexes
derivatives of tetrathiometallates; synthesis of $[MS_4M'(bpy)_2]$ (M = Mo, W; M' = Co, Ni, Mn, Ru) complexes; structural characterization of $[Ni(bpy)_3][(WS_4)_2Pd]$, 173
Mo and W complexes with metallo-ligands having S donor atoms, 209

Zinc complexes
model calculations on Zn(II)/Cd(II) interaction with nucleic bases, 169